



**Conditioning Shampoo with Silquat J208-1B**  
**Formulation: FH124**

<b><u>Phase</u></b>	<b><u>Ingredient</u></b>	<b><u>%w/w</u></b>
<b>Part A</b>	Water	55.0
	Ammonium Lauryl Sulfate	16.0
	Ammonium Laureth 2 Sulfate	16.0
	Cocamidopropyl Betaine	8.0
	Cocamid DEA	3.0
	<b>Silquat J208-1B (Siltech)</b>	<b><u>2.0</u></b>
		<b><u>100.00</u></b>

**Procedure:**

1. Blend the above ingredients in the order shown
2. To lower the pH add 50% Citric Acid until you get to 5-6.
3. Slowly add NaCl in 0.5% increments to achieve the desired viscosity.

*Technical information contained herein is believed to be accurate. However, it is furnished without charge or obligation and is given and accepted at the recipient's sole risk. No guarantee of the accuracy of the information is made and the products discussed are sold without conditions or warranties expressed or implied. Purchasers should make their own tests and determine suitability of the product for their particular purposes. Nothing contained herein shall be considered a recommendation for any use that may infringe upon patent rights.*

© Siltech LLC 2005      All Rights Reserved

